


30 YEARS OF EXPERIENCE





WHAT WE DO

Metal processing of the highest quality

Fielitz Ltd provides first-class metal processing with exceptional quality standards. Materials suitable for cold forming such as aluminium, stainless steel, steel, copper, bronze, brass or titanium are formed by state-of-the-art production technologies.

We offer a wide range of possible methods, including diverse profiling technologies and highly modern 3D fluid technology, to create metal surfaces that are effective in terms of design, acoustics and sun protection.

As a result, the limits of feasibility can be exceeded again and again. We have access to a large network of partners with extensive experience in architectural applications for the diverse surface treatments of our finished products, for both **exterior and interior use**.

Our service goes beyond 3-dimensional forming and provides, among other things, many different processing capabilities in order to be able to supply customers with pre-finished solutions. We look forward to realizing your ideas and designs with you.



WHO WE ARE

Fielitz Ltd - partner for innovative architecture

For over 30 years, we have been developing and suppling various metallic structures and surfaces by deforming flat metals for exclusive architectural applications. Facades, ceilings, wall coverings, exhibition construction and design elements, have been realized in cooperation with our clients.

Our aim is to design distinctive, exceptional and bespoke solutions made of aluminium, Stainless steel, steel, copper, brass etc.

The diversity of our modern production processes, makes it possible for us to create three dimensional forms using different types of metal, responding to the individual wishes of architects, clients & designers. Our exceptional solutions for product development include design, surface processing, packaging & logistics - all MADE IN GERMANY.

Whether you are looking for custom made manufacturing or series production – it's a pleasure for us to assit your project as a reliable partner for innovative architecture. Challenge us with your requirements and new ideas!


















TECHNOLOGY

The technology used by Fielitz is based on the fluid technique which allows to have a wide range of possible deformations with an absolute control of the ELASTICITY of the material.





2.000 mm 4.000 mm

THIS TECHNIQUE ALLOWS:

MAXIMUM ARCHITECTURAL FREEDOM

Your Fielitz panel is unique and unrepeatable

LOWER PRODUCTION COSTS

Low tooling costs

ENERGY SAVE

Because high temperatures are not required for deformation

HIGH SCALE RANGE

Realization of a single panel up to 2m x 4m

INFINITE DEFORMABLE THICKNESS

Up to 15 mm thickness for aluminium

CONTINUOUS FACADE

Direct relationship between panels in order to have a great effect of continuity


3D PLATES

Our 3D plates permit metals to be formed to give maximum architectural design freedom.


Our manufacturing technology allows us to create large elements of up to **2m x 4m**, using a wide range of perforated or non-perforated metallic materials such as aluminium, steel, stainless steel, copper, zinc and brass.

The unique fluid technology used for metal forming acts on the materials with optimized compression forces to achieve perfect forms with outstanding 3D details, producing surprising aesthetic results customized to the needs of each project.

The plates are characterized by their high stability and can be customized with a wide selection of surface finishes. Among the main advantages of 3D technology are weight reduction and low cost.







WEB PLATES

- ON DEMAND -

The classic undulating shape combines an unlimited versatility for creative solutions that creates surprising results every time.

Our range of web plates ranges from delicate structures for the design of interiors that enhance the style used ("small Web Plates"), through to robust geometries designed for exteriors ("medium Web Plates" & "large Web Plates") that can withstand high stress levels.

The machining technology used permits the formal profile of the elements to be freely defined and custom perforations to be created.

This technology works with numerous types of metal, such as steel, stainless steel, aluminium, copper, brass and zinc to create architectural elements that offer incomparable aesthetic qualities.







PROFILE PLATES

- ON DEMAND -

Depending on the initial geometries of the plates, the form of the undulation can be differentiated and customized to produce exclusive designs.

By altering the angle and number of undulations, it is possible to reduce the weight of each individual element to provide solid and reliable solutions to the most demanding technical and creative needs.





SURFACES

Super mirror polished surfacesOur reliable network of suppliers offers a wide variation of mirror polished and high gloss surface finishes for stainless steel. Dependent on the area of application the customer can choose between several quality levels.



Grinded surfaces

Grinding is a clamp stripping manufacturing process that achieves various grinding patterns by using different grinding agents, machines, and machine parameters



Blasted surfaces

Particularly suitable for achieving uniform, homogeneous surfaces. The finish is non-directional and bears little to no reflection.



PVD - Titanium nitride coatings

The PVD-TiN coating of large surfaces (sheets) using ARC evaporation, which evaporates the solid, the so-called target, via an electric arc. By utilizing suitable reactive gases, different temperatures, and other machine parameters, a chemical compound of metal and non-metal is coated onto the sheet. Various colours can be obtained in this manner:

gold, rose-gold, brass champagne, bronze, copper and black.




Anti-fingerprint coating nanolNOX®


An invisible permanent protection for decorative metal surfaces. It is resistant to fingerprints, graffiti and general contamination. This coating maintains the attractiveness and minimizes the costs of cleaning and maintenance.



Anodization + Powder coating

A varitiy of different anodized surfaces can be provided by Fielitz Ltd. Due to different surface structures and the corresponding pigments, almost all surface effects can be achieved.





SURFACE FINISH polished mirror polished TECHNICAL ASPECTS structurally effective wall elements APPLICATION AREA ceiling elements cladding elements **MATERIAL** stainless steel MATERIAL THICKNESS T = 0.8 - 3.0 mm

3D PLATES








DIMENSIONS


1.950 mm x 3.650 mm **DIMENSIONS** 1.650 mm x 3.950 mm **HEIGHT** 4,0 - 6,0 mm

- elements can be folded on all four sides
- elements can be glued to a support plate
- perforated or non-perforated
- other materials, sizes & surface finishes on request
















PRIVATE VILLA ARCHITECTURE PRODUCT PHOTO REGENSBURG, GERMANY
BERSCHNEIDER + BERSCHNEIDER
3D PLATE "DUNE SMALL", STAINLESS STEEL, MIRROR POLISHED NO.8
PETRA KELLNER













WESTFIELD MALL ARCHITECTURE PRODUCT PHOTO LONDON, UNITED KINGDOM
SHEPPARD ROBSON
3D PLATE "DUNE SMALL", STAINLESS STEEL, MIRROR POLISHED NO.8
SAS INTERNATIONAL (CEILING DESIGNERS & MANUFACTURERS)



3D PLATES

SURFACE FINISH anodized powder coated mirror polished

TECHNICAL ASPECTS

translucent structurally effective

APPLICATION AREA

cladding elements

MATERIAL

aluminium steel, stainless steel

MATERIAL THICKNESS

T = 1.0 - 3.0 mm

DIMENSIONS

DIMENSIONS

Width: 1.300 mmLength: 2.490 mm


HEIGHT

30 mm

- elements can be folded on the long sides
- repeat pattern at 2.490 mm
- perforated or non-perforated
- other materials, sizes & surface finishes on request













ALPEWA CUBE ARCHITECTURE PRODUCT PHOTO





3D PLATES

SURFACE FINISH anodized powder coated mirror polished

APPLICATION AREA

wall elements ceiling elements cladding elements

MATERIAL

aluminium

steel, stainless steel

MATERIAL THICKNESS

T = 0.8 - 3.0 mm

DIMENSIONS


DIMENSIONS

Width: 1.400 mmLength: 3.000 mm


HEIGHT


2,0 - 3,0 mm

- elements can be folded on all four sides
- perforated or non-perforated
- other materials, sizes & surface finishes on request











3D PLATES

SURFACE FINISH brushed anodized powder coated mirror polished

APPLICATION AREA

wall elements ceiling elements cladding elements

TECHNICAL ASPECTS

structurally effective acoustically effective

MATERIAL

aluminium copper, brass

steel, stainless steel

MATERIAL THICKNESS

T = 1.0 - 2.0 mm

DIMENSIONS


DIMENSIONS

Width: 1.400 mmLength: 3.900 mm


HEIGHT


10 mm


- repeat pattern can be customized
- free arrangement of the crystals
- perforated or non-perforated
- folds along all sides with flat ends
- zick-zack cut for invisible joints
- other materials, sizes & surface finishes on request











3D PLATES

SURFACE FINISH anodized powder coated mirror polished

APPLICATION AREA

wall elements ceiling elements cladding elements

TECHNICAL ASPECTS translucent structurally effective

MATERIAL

aluminium steel, stainless steel

MATERIAL THICKNESS

T = 3.0 mm

DIMENSIONS


DIMENSIONS

Width: 1.150 mmLength: 3.900 mm


HEIGHT

30 mm

- elements can be folded on the long sides
- matching joints/continous pattern
- repeat pattern at 3.000 mm and 3.900 mm
- perforated or non-perforated
- other materials, sizes & surface finishes on request











3D PLATES

SURFACE FINISH anodized powder coated mirror polished

APPLICATION AREA

wall elements ceiling elements cladding elements

TECHNICAL ASPECTS

translucent structurally effective

MATERIAL

aluminium copper, brass steel, stainless steel

MATERIAL THICKNESS

T = 1.0 - 3.0 mm

DIMENSIONS


DIMENSIONS

Width: 1.400 mmLength: 3.900 mm


HEIGHT


3,0 mm

- repeat pattern can be customized
- folds along all sides with flat ends
- other materials, sizes & surface finishes on request











3D PLATES

SURFACE FINISH

anodized powder coated mirror polished

APPLICATION AREA

wall elements cladding elements

TECHNICAL ASPECTS

translucent

structurally effective

MATERIAL

aluminium copper, brass

steel, stainless steel

MATERIAL THICKNESS

T = 0.8 - 2.0 mm

DIMENSIONS

DIMENSIONS

■ Width: 1.400 mm ■ Length: 2.450 mm


HEIGHT

8,0 mm

- repeat pattern at 2.450 mm
- folding can be added on the long sides at 1.400 mm
- other materials, sizes & surface finishes on request











SURFACE FINISH anodized powder coated mirror polished

mirror polished

APPLICATION wall elements cladding elements

TECHNICAL translucent structurally effective

aluminium

MATERIAL copper, brass
steel, stainless steel

MATERIAL THICKNESS T = 0,8 - 2,0 mm

DIMENSIONS

DIMENSIONS • Width: 1.050 mm Length: 2.750 mm


HEIGHT 10 mm


- repeat pattern at 2.500 mm
- perforated or non-perforated
- folding can be added on the long sides at 1.050 mm
- other materials, sizes & surface finishes on request













3D PLATES

SURFACE FINISH anodized powder coated mirror polished

APPLICATION AREA

wall elements cladding elements

TECHNICAL ASPECTS translucent structurally effective

MATERIAL

aluminium copper, brass steel, stainless steel

MATERIAL THICKNESS

T = 0.8 - 2.0 mm

DIMENSIONS


DIMENSIONS


Width: on requestLength: on request


HEIGHT

5 mm

- folding can be added on all sides
- other materials, sizes & surface finishes on request









WATERWAVE VISION 3000

3D PLATES

SURFACE FINISH anodized powder coated mirror polished

APPLICATION AREA

wall elements cladding elements

TECHNICAL ASPECTS

translucent structurally effective

MATERIAL

aluminium copper, brass

steel, stainless steel

MATERIAL THICKNESS

T = 0.8 - 3.0 mm

DIMENSIONS

DIMENSIONS

Width: 1.300 mmLength: 3.000 mm


HEIGHT


30 mm

- repeat pattern at 3.000 mm
- perforated or non-perforated
- folding can be added on the long sides at 1.300 mm
- other materials, sizes & surface finishes on request











3D PLATES

SURFACE FINISH anodized powder coated mirror polished

APPLICATION AREA

wall elements cladding elements

TECHNICAL ASPECTS

translucent structurally effective

MATERIAL

aluminium copper, brass steel, stainless steel

MATERIAL THICKNESS

T = 0.8 - 2.0 mm

DIMENSIONS

DIMENSIONS


Width: 1.450 mmLength: 1.450 mm


HEIGHT


20 mm

- four-sided repeat pattern at 1.450 mm
- perforated or non-perforated
- other materials, sizes & surface finishes on request
















HLS HERZIG ARCHITECTURE PRODUCT PHOTO WALDKIRCHEN, GERMANY HM ZEILBERGER 3D PLATE "DUNE MEDIUM", STAINLESS STEEL, BRUSHED K-240 HM ZEILBERGER







M-PREIS SUPERMARKET ARCHITECTURE PRODUCT PHOTO TIROL, AUSTRIA M-PREIS 3D PLATE "DUNE MEDIUM", ALUMINIUM, POWDER COATING MARCUS EBENER

WATERWAVE SMALL

anodized brushed bead blasted

powder coated mirror polished

APPLICATION wall elements cladding elements

TECHNICAL ASPECTS structurally effective

aluminium

MATERIAL copper, brass
steel, stainless steel

MATERIAL THICKNESS T = 0,8 - 2,0 mm

DIMENSIONS

SURFACE FINISH

DIMENSIONS 1.950 mm x 3.650 mm 1.650 mm x 3.950 mm


HEIGHT 2,0 - 4,0 mm


- elements can be folded on all four sides
- other materials, sizes & surface finishes on request














SURFACE anodized FINISH powder co

powder coated mirror polished

APPLICATION AREA

wall elements ceiling elements cladding elements

TECHNICAL ASPECTS

structurally effective

MATERIAL

aluminium copper, brass

steel, stainless steel

MATERIAL THICKNESS

T = 0.8 - 2.0 mm

DIMENSIONS

DIMENSIONS


Width: 1.500 mmLength: 3.000 mm


HEIGHT


2,0 - 3,0 mm


- elements can be folded on all four sides
- perforated or non-perforated
- other materials, sizes & surface finishes on request



















"IDEAS, PROTOTYPES AND STUDIES"







INTERNATIONAL REFERENCES

Germany, Austria, UAE, Japan, North America, UK, Turkey, France, Italy and many more.



















FENDI FLAGSHIP STORE ARCHITECTURE PRODUCT PHOTO

CURIOSITY INC. JAPAN
SPECIAL 3D PLATE - STAINLESS STEEL ARCH ELEMENTS
CURIOSTY INC. JAPAN





HYPO NOE GROUP ARCHITECTURE PRODUCT PHOTO **ST. POELTEN, AUSTRIA** ZIESER ZT LTD.

SPECIAL - 3D PLATE "DUNE ST. POELTEN", ALUMINIUM, DURAFLON® COATING RUPERT STEINER

56








KIZ-UNIVERSITY ARCHITECTURE PRODUCT PHOTO

NICKL & PARTNERS
SPECIAL - 3D PLATE "WATERWAVE KIZ", ALUMINIUM, ANODIZED E6/EV2
WERNER HUTMACHER















Alma D Design concept was born from the desire to blend in a single piece, lightness seen as the lack of weight linked to the fabrics and the strength of the material such as iron or aluminium. The density of the material and the lightness imprinted on the mould merge to become a single sculptural piece.

This art design piece takes the name of **drape**, as to identify the desire inherent in the design to cover the building as a "dress" fabric personally made. But the intrinsic meaning of the drape is the desire to connect with the theme of continuity, that evolves and develops through a cyclical path. The term Alma is actually the meaning of Soul, the internal sense of matter and its expression remain impressed on the surface of things; as to design material and its density.

Alma D is the expression of a moment captured on a surface, whose finish can change, but the material expression will remain linked to lightness and fluidity. Like a wave of water, the design becomes sculptural, and coating at the same time. It is transformed according to the material treatments and the expression imprinted on the material surface, in which it is reflected.



ALMA D:

Amaart Alessia Maggio designer, Alpewa srl and Fielitz sponsoring production and distribution

The material design was conceived through the construction of models made with the 3d printer that were able to help identify the various evolutions of the simulation of on the fabric. These photographed movements of the fabric were drawn freehand and subsequently imprinted in the 3D design and developed as a prototype up to the final shape and size.

The guideline of the project was to assign to material the form of lightness (weight loss) then became a single design element.

As well as the possibility of transferring an iconic image to the cladding element, which transcends the initial function to become Other; therefore a sculptural and artistic element.



Freed from the conditions of belonging, crossed by wind and sound, moved in nature, which has developed into an shelter surface

AM



Drape transformation and sequence





FIELITZ GMBH

Im Weiherfeld 5 85051 Ingolstadt Germany

+49 (0) 841 - 93514 - 0

info@fielitz.de www.fielitz.de

